L Number	Hits	Search Text	DB	Time stamp
-	1	decompos$4 near4 test near5 suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:15
-	16	automatic$6 near5 generat$4 n ar5 component$2 and manual$3 near5 (generat$3 or develop$3) near5 component$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 08:18
-	342	skeleton near5 description	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:32
-	3	skeleton near5 definition near5 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:34
-	47	skeleton near5 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:37
-	136	skeleton near5 tool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/07 16:37
-	13	automatic$6 same manual$4 same component$2 and test near5 suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 08:33
-	51	(automatic$6 and manual$4) same component$2 and test near5 suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 11:09
-	8	(generate or develop) same component$2 same test near5 suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 08:43
-	207	(generate or develop) same component$2 and test near5 suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 09:13
-	53	(generate or develop) near5 component$2 and test near5 suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 09:41
-	5	(template or skeleton) near5 description$2 and test near5 suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 10:20
-	118	API and test near5 suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 11:00

-		26	test near5 suite$2 near5 description$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 11:19
-		1	test near5 suite$2 same d compose	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 11:28
-		74	test near5 suite$2 same separate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:05
-		9	test near5 suite$2 same resolve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:05
-		11	test near5 suite$2 same (resolve or break$down)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 12:07
-		10	test near5 suite$2 same tool same generate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:32
-		34	template near5 tool$2 same generate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:34
-		135	template near5 tool$2 same generat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:48
-		100	compil$6 near5 test$4 near5 source	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:16
-		77	component$2 same test adj suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:26
-		39	component$2 same test adj suite$2 and (automatic$5 and manual$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:32
-		191	template same test same verif$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:34
-		9	template$2 same test same verif$8 same component$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:35

-	17	template$2 same test$4 same verif$8 same compon nt$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:40
-	93	defin$6 sam schem $2 same procedure same test$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 14:48
-	56	procedure adj testing same defin$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:41
-	25	define near5 (scheme or method) near5 testing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:59
-	111	(examine or analyze or inspect) near5 test near5 (suite$2 or procedure$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 08:19
-	12	(examine or analyze or inspect) near5 test near5 (suite$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 08:21
-	117	slot near5 descriptor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 09:57
-	1	creat$5 near5 slot near5 descriptor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 08:22
-	118	slot near5 (descriptor or descripter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:06
-	6	repetitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 10:05
-	13	(expos$4 or analyz$4 or determin$4) near5 hierarch$8 and test adj suite$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 10:12
-	153	(expos$4 or analyz$4 or determin$4) near5 hierarch$8 same (test adj suite$2 or procedure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 10:43
-	391	(expos$4 or analyz$4 or determin$4) same (test adj (suite$2 or procedure)) same component$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 10:53

-	122	(automatic$6 and manual$4) same component$2 same (generat$4) same test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 11:17
-	221	(automatic$6 or manual$4) near5 component$2 near5 (generat$4) and t st	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 11:28
-	3	(automatic$6 or manual$4) near5 component$2 near5 (generat$4) and implementation adj language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 11:30
-	29	(automatic$6 or manual$4) near5 component$2 near5 (generat$4) same language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 12:56
-	11	template$2 near5 description$2 same scheme$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 12:57
-	18	("4595981" | "5357452" | "5359546" | "5371883" | "5421004" | "5604906" | "5651111" | "5784553" | "5915113" | "6011918" | "6080207" | "6108697" | "6182245" | "6192477" | "6195765" | "6240442" | "6256704" | "6304982").PN.	USPAT	2003/04/10 08:54
-	1	test adj suite same identify same (repe$8 or loop)	USPAT	2003/04/10 08:57
-	14	identify near5 (repe$8 or loop) and test adj suite	USPAT	2003/04/10 09:15
-	34	(identify or determine) near5 (repe$8 or loop) and test adj suite	USPAT	2003/04/10 09:15
-	1	creat$4 near5 slot near5 (descriptor or descripter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:11
-	3	creat$4 near5 (descriptor or descripter) near5 slot$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:13
-	5	creat$4 near5 (descriptor$2 or descripter$2) near5 slot$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:15
-	10	creat$4 near5 (descriptor$2 or descripter$2) same slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 11:23
-	15	creat$4 near5 (descriptor$2 or identifier$2) near5 slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 12:56
-	31	descri$6 near5 slot near5 component$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 13:58
-	24	(creat$6 or develop$4 or produc$4) near5 descri$6 near5 slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 14:22

-	59	(creat$6 or d velop$4 or produc$4 or mak$4 or build$4 or construct$5) n ar5 descri$6 near5 slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 14:36
-	127	(descri$6 or represent$2 or defin$4 or specify) near5 slot n ar (component$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 14:55
-	3	test$4 near5 suite$2 near5 (parameter$2 and sequence$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 14:58
-	20	test$4 near5 suite$2 same (parameter$2 and sequence$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 15:00
-	1	test$4 near5 suite$2 same (sequence$2) near5 (procedur$2 or routine$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 15:04
-	3	test$4 near5 suite$2 same (sequence$2) near5 (procedur$2 or routine$2 or group)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 15:15
-	120	file near5 parameter$2 near5 component$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 16:00
-	1	create near5 file near5 parameter$2 near5 component$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 15:18
-	430	test$4 near5 group$4 near5 procedure$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 16:05
-	305	depend$6 near5 parameter$2 same (scheme)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:41
-	919	describ$4 near4 slot$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:48
-	1	describ$4 near4 slot$2 near5 component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:50
-	22	describ$4 near4 slot$2 near5 receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:52

-	1	describ$4 near4 slot$2 near5 test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:52
-	36	d scrib$4 n ar4 slot$2 same compon nt$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:55
-	144	describ$4 near4 slot$2 same receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 09:12
-	121	slot$2 near5 component$2 same test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 18:03
-	614	feature near5 identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 09:13
-	36	feature near5 identifier and decompos$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 10:53
-	1	feature near5 identifier and decompos$4 and creator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 10:55
-	122	creator near5 (function or routine)	USPAT; · US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 11:05